TRIJENA

STAGE 10 STREETSCAPES

PROJECT NUMBER: 304013 LANDSCAPE ARCHITECTURE DRAWINGS FOR PGG (MICKLEHAM) PTYLTD

DRAWING SCHEDULE

DRAWING NO.	DESCRIPTION	SHEET NO.	REVISION
LD100	COVER - SHEET 1	1	0
LD700	PLANTING PLANS - SHEET 1	2	0
LD701	PLANTING PLANS - SHEET 2	3	0
LD900	DETAILS - SHEET 1	4	0





TRIJENA STAGE 10

Scale 1:1000 @ A1

PLANTING SCHEDULE							
TREES							
CODE	BOTANICAL NAME	COMMON NAME	QTY	DENSITY	INSTALL SIZE	MATURE SIZE (h x w)	
El	Eucalyptus leucoxylon 'Rosea'	Red-flowering Yellow Gum	19	as shown	min. 1.8m tall, 45L	10 x 8	
Elc	Eucalyptus leucoxylon 'Connata'	Yellow Gum	9	as shown	min. 1.8m tall, 45L	10 x 8	
Total			28				

ALL TREE STOCK TO CONFORM TO AS 2303:2018; APPENDIX D. ALL TREE STOCK OF 45L TO HAVE A HEIGHT OF 1.8m - 2.0m AND CALIPER OF 25mm - 30mm UNLESS APPROVED IN WRITING BY THE SUPERINTENDENT

GENERAL NOTES

- Unless otherwise specified on the drawings all measurements, lengths, heights and distances to be determined from dimensions and NOT scaled off the drawings.
- Before commencement of any works it is the responsibility of the Landscape Contractor to contact Dial Before You Dig 1100 (Fax 1300 652 077) for information on services in the area shown on the plan (www.dialbeforeyoudig.com.au)
- The locations of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown. The Contractor shall verify the location and depth of all services prior to commencing on site.
- 4. The Contractor must have a copy of Melbourne One Call/Services information and plans on site at all times.
- 5. The Contractor shall be liable for any damage to services during
- 6. All trees shall be planted in locations shown on this plan, with setout to

be approved on site by the Superintendent prior to planting.

- 7. Tree canopies are shown at 75% of mature diameter.
- 8. Any change in plant species must have the approval of the Superintendent.
- Trees shall not be planted less than the following distances from existing elements, unless otherwise stated in the documentation:
- Pedestrian pathways 1.2m
- Pedestrian pathways in reserve 2.0m
- Driveways and crossovers 3.0m - Stormwater and sewerage pits - 2.0m
- Service crossings 2.0m
- Back of Kerb 1.0m min.
- Street lights and power poles 4.0m
- Service assets, incl. junction boxes, pits etc 2.0m - Fire plugs - 3.0m
- 10. The Superintendent is to inspect trees supplied by the Contractor prior to
- 11. The Principal will ensure that all property boundaries are to be pegged out by licensed surveyors prior to set out of landscape works.
- 12. All drawings 'For Construction' to be printed in colour

© Spiire Australia Pty Ltd All Rights Reserved

This document is produced by Spiire Australia Pty Ltd solely for the benefit of and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

414 LA TROBE STREET PO BOX 16084 MELBOURNE **VICTORIA 8007 AUSTRALIA T 61 3 9993 7888**

www.spiire.com.au

	CONSTRUCTION						
0	ISSUED FOR CONSTRUCTION	MB	09/08/21				
Α	PRELIMINARY ISSUE	MB	07/06/21				
REV	DESCRIPTION	APP	DATE				

TRIJENA

STAGE 10 STREETSCAPES

DETAILED DESIGN

COVER - SHEET 1

SHEET 1 OF 4

HUME CITY COUNCIL

PGG (MICKLEHAM) PTYLTD




07/06/2021

304013LD100 0





Street Tree



1000mm NOM.

ALL TREES TO BE IN ACCORDANCE WITH AS TREE STOCK FOR LANDSCAPE USE, 45L

SET TWO 50 x 50 x 1800mm HARDWOOD STAKES AT 90° (GENERALLY ON EAST AND WEST SIDE)TO PREVAILING WINDS.) ENSURE THEY ARE CLEAR OF THE ROOTBALL AND MIN. 300mm INTO GROUND.

LOOP 50mm WIDE BIODEGRADABLE TIES AROUND TRUNK WITH 3 TWISTS AT 1/3 TREE HEIGHT AND STAPLE OR NAIL TO STAKES.

ENSURE TOP OF ROOT BALL IS FLUSH WITH FINISHED LEVEL OF PLANTING HOLE.

FORM A 50mm HIGH SOIL BERM TO CREATE A

SPREAD APPROVED MULCH TO DEPTH OF 75 - 100mm. MULCH. MAX 50mm DEPTH OVER TOP OF ROOTBALL (IN SIDE WATER RETENTION WELL). MULCH BOWL TO 1m IN DIAMETER, OVERLAPPING UNDISTURBED SOIL.


EXCAVATE PLANTING HOLE TO MATCH ROOTBALL DEPTH AND APPROXIMATELY 3 TIMES THE WIDTH OF THE ROOTBALL. ENSURE SIDES OF PLANTING HOLE ARE BROKEN UP AND NOT GLAZED. BACKFILL CULTIVATED SITE TOPSOIL, BROKEN UP TO A FRIABLE TEXTURE, FIRMING PROGRESSIVELY.

WATER TREES IMMEDIATELY AFTER INSTALLATION TO ENSURE MOIST ENVIRONMENT FOR TREE ESTABLISHMENT.

SEMI-ADVANCED TREE PLANTING DETAIL (HUME CITY COUNCIL STANDARD DETAIL)

NTS

- Existing pasture grass and/or weeds are to be sprayed with herbicide.
- 2. No machinery to be used within the drip line of existing trees.
- 3. Topsoil to be raked to a fine tilth, removal of all surface rocks, large lumps of clay, weeds and rubbish prior to application of seed to all areas as shown.
- 4. New grassed areas to be protected from trespass and traffic with star pickets and barrier rope until grass is established.



TURF GRASS DETAIL


Scale 1:10 @ A1

© Spiire Australia Pty Ltd All Rights Reserved This document is produced by Spiire Australia Pty Ltd solely for the benefit of

and use by the client in accordance with the terms of the retainer. Spiire Australia Pty Ltd does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by third party on the content of this document.

414 LA TROBE STREET PO BOX 16084 MELBOURNE **VICTORIA 8007 AUSTRALIA T 61 3 9993 7888**

ABN 55 050 029 635 www.spiire.com.au



TRIJENA

STAGE 10 STREETSCAPES

DETAILED DESIGN

DETAILS - SHEET 1 SHEET 4 OF 4 **HUME CITY COUNCIL** PGG (MICKLEHAM) PTYLTD

AS SHOWN

DESIGNED DRAWN

CHECKED APPROVED MB

07/06/2021 304013LD900 0